

Clinical Policy: Zolpidem Tartrate (Edluar, Zolpimist)

Reference Number: CP.PMN.172

Effective Date: 12.01.18

Last Review Date: 11.23

Line of Business: Commercial, Medicaid

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

Description

Zolpidem tartrate (Edluar[®], Zolpimist[®]) is a gamma-aminobutyric acid (GABA_A) agonist.

FDA Approved Indication(s)

Edluar and Zolpimist are indicated for the short-term treatment of insomnia characterized by difficulties with sleep initiation.

Zolpidem sublingual tablet is indicated for use as needed for the treatment of insomnia when a middle-of-the-night awakening is followed by difficulty returning to sleep.

Limitation(s) of use: Zolpidem sublingual tablet is not indicated for the treatment of middle-of-the night awakening when the patient has fewer than 4 hours of bedtime remaining before the planned time of waking.

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation[®] that Edluar, zolpidem sublingual tablet, and Zolpimist are **medically necessary** when the following criteria are met:

I. Initial Approval Criteria

A. Insomnia (must meet all):

1. Diagnosis of insomnia;
2. Age \geq 18 years;
3. Failure of zolpidem oral tablets, unless contraindicated or clinically significant adverse effects are experienced;
4. For zolpidem sublingual tablet 1.75 mg and 3.5 mg requests, member has a history of insomnia with difficulty returning to sleep after middle of the night awakening;
5. Dose does not exceed (a or b):
 - a. Edluar, Zolpimist: 10 mg per day;
 - b. Zolpidem sublingual tablet: 3.5 mg per day.

Approval duration:

Medicaid – 6 months

Commercial – 12 months or duration of request, whichever is less

B. Other diagnoses/indications (must meet 1 or 2):

1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
 - a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: CP.CPA.190 for commercial and CP.PMN.255 for Medicaid; or
 - b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial and CP.PMN.16 for Medicaid; or
2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.CPA.09 for commercial and CP.PMN.53 for Medicaid.

II. Continued Therapy

A. Insomnia (must meet all):

1. Member meets one of the following (a or b):
 - a. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
 - b. Member is currently receiving medication and is enrolled in a state and product with continuity of care regulations (*refer to state specific addendums for CC.PHARM.03A and CC.PHARM.03B*);
2. Member is responding positively to therapy;
3. If request is for a dose increase, new dose does not exceed (a or b):
 - a. Edluar, Zolpimist: 10 mg per day;
 - b. Zolpidem sublingual tablet: 3.5 mg per day.

Approval duration:

Medicaid – 12 months

Commercial – 12 months or duration of request, whichever is less

B. Other diagnoses/indications (must meet 1 or 2):

1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
 - a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: CP.CPA.190 for commercial and CP.PMN.255 for Medicaid; or
 - b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial and CP.PMN.16 for Medicaid; or
2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.CPA.09 for commercial and CP.PMN.53 for Medicaid.

III. Diagnoses/Indications for which coverage is NOT authorized:

- A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial and CP.PMN.53 for Medicaid, or evidence of coverage documents.

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key

FDA: Food and Drug Administration

Appendix B: Therapeutic Alternatives

This table provides a listing of preferred alternative therapy recommended in the approval criteria. The drugs listed here may not be a formulary agent for all relevant lines of business and may require prior authorization.

Drug Name	Dosing Regimen	Dose Limit/ Maximum Dose
zolpidem tartrate (Ambien [®])	Adults: 5-10 mg PO HS PRN Elderly: 5 mg PO HS PRN	10 mg/day

Therapeutic alternatives are listed as Brand name[®] (generic) when the drug is available by brand name only and generic (Brand name[®]) when the drug is available by both brand and generic.

Appendix C: Contraindications/Boxed Warnings

- Contraindication(s): known hypersensitivity to zolpidem
- Boxed warning(s): none reported

V. Dosage and Administration

Drug Name	Dosing Regimen	Maximum Dose
Zolpidem tartrate (Edluar)	<u>Adults:</u> 5 mg SL for women and 5-10 mg for men SL HS PRN <u>Elderly:</u> 5 mg SL HS PRN	Adults: 10 mg/day Elderly: 5 mg/day
Zolpidem tartrate sublingual tablets	<u>Women:</u> 1.75 mg SL HS PRN <u>Men:</u> 3.5 mg SL HS PRN <u>Elderly:</u> 1.75 mg SL HS PRN	3.5 mg/day
Zolpidem tartrate (Zolpimist)	<u>Adults:</u> 5 mg for women and 5 or 10 mg for men PO HS PRN immediately before bedtime <u>Elderly:</u> 5 mg PO HS PRN immediately before bedtime	Adults: women – 5 mg/day, men – 10 mg/day Elderly: 5 mg/day

VI. Product Availability

Drug Name	Availability
Zolpidem tartrate (Edluar)	Sublingual tablets: 5 mg, 10 mg
Zolpidem tartrate	Sublingual tablets: 1.75 mg, 3.5 mg

Drug Name	Availability
Zolpidem tartrate (Zolpimist)	Oral spray: 5 mg per actuation

VII. References

1. Edluar Prescribing information. Bridgewater, NJ: Sanofi-Aventis; August 2019. Available at: https://www.accessdata.fda.gov/drugsatfda_docs/label/2019/021997s010lbl.pdf. Accessed July 11, 2023.
2. Zolpidem Tartrate Sublingual Tablets Prescribing Information. Chestnut Ridge, NY: Par Formulations Private Limited; October 2019. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=44b34e58-114b-4774-9fab-4b188dfe0228>. Accessed July 26, 2023.
3. Zolpimist Prescribing Information. Louisville, KY: MAGNA; August 2019. Available at: https://www.accessdata.fda.gov/drugsatfda_docs/label/2019/022196s012lbl.pdf. Accessed July 11, 2023.
4. Sateia MJ, Buysse DJ, Krystal AD, Neubauer DN, Heald JL. Clinical practice guideline for the pharmacologic treatment of chronic insomnia in adults: an American Academy of Sleep Medicine clinical practice guideline. J Clin Sleep Med. 2017;13(2):307–349.

Reviews, Revisions, and Approvals	Date	P&T Approval Date
New policy created: policy split from and retired CP.CPA.265 non-benzodiazepine insomnia medications; added Medicaid line of business; added age limit; references reviewed and updated.	07.31.18	11.18
4Q 2019 annual review: increased initial approval duration for Medicaid to 6 months to align with approach for other sleep agents; clarified zolpidem redirection for Edluar and Zolpimist is to the oral tablet formulation; references reviewed and updated.	08.27.19	11.19
4Q 2020 annual review: no significant changes; references reviewed and updated.	08.21.20	11.20
4Q 2021 annual review: no significant changes; references reviewed and updated.	07.21.21	11.21
Revised approval duration for Commercial line of business from length of benefit to 12 months or duration of request, whichever is less	10.18.21	02.22
4Q 2022 annual review: for brand Intermezzo requests, added requirement that member must use generic zolpidem sublingual tablet 1.75 mg or 3.5 mg; references reviewed and updated. Template changes applied to other diagnoses/indications and continued therapy section.	07.05.22	11.22
4Q 2023 annual review: removed Intermezzo as product is discontinued; applied current zolpidem oral tablet redirection to zolpidem sublingual tablet 1.75 mg and 3.5 mg requests; references reviewed and updated.	07.11.23	11.23

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note:

For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2016 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation[®] are registered trademarks exclusively owned by Centene Corporation.